

Additional Materials

Table S1 Observational studies conducted on Psoriasis.

S. no.	Reference	Follow up period & Study sample	Measures	Outcome	Medicines used
1	CM Witt, R Lüdtke SN Willich. Homeopathic treatment of patients with psoriasis – a prospective observational study with 2 years follow-up. <i>Journal of the European Academy of Dermatology and Venereology</i> May 2009; 23(5): 538–543. [18]	2 years 82 patients with 45 physicians	Complaints severity, health-related quality of life (QoL),	Diagnoses and complaints severity improved markedly with large effect sizes (Cohen’s d = 1.02-2.09). In addition, QoL improved (SF-36 physical component score d = 0.26, mental component score d = 0.49), while conventional treatment and health service use were considerably reduced.	Calcarea carb Lachesis Lycopodium Natrum mur Nux Vomica Phosphorus Pulsatilla Sepia Silecea Sulphur
2	Singh H, ManchandaRK, Arora S. Evaluation of homoeopathic drugs in Psoriasis. <i>CCRH Quarterly Bulletin</i> 1993; 15(3&4): 24-27. [19]	More than one year 203	Change in presenting complaints of itching, erythema, scaling, thickening, etc. and recurrence	140 cases improved, 19 did not improve and 2 cases became worse. 39 cases did not report and 3 were dropped out.	Arsenic album Calcarea carb Hydrocotyle Ignatia Kali ars. Lycopodium Natrum mur Nux vomica Opium Petroleum

					<p>Psorinum Sepia Sulphur Thyroidinum Tuberculinum</p>
3	<p>Gupta, Girish. Evidence based clinical study on effect of homoeopathic drugs in psoriasis. <i>Asian Journal of Homoeopathy</i>. November 2007. Volume 1 Issue 1. Page 14 to 24. [20]</p>	<p>No specific duration of follow up 370</p>	<p>Change in presenting complaints</p>	<p>200 patients showed positive results, out of which 81 patients showed 90% improvement, 119 patients were improving, 49 patients maintained status quo and 42 patients did not improve at all. 17 patients did not follow treatment.</p>	<p>Not given</p>
4	<p>GR Mohan. Clinical Study of Different Types of Psoriasis and Homeopathic Management. <i>Homoeopathic Links</i> 2013; 26(2): 135-138. [21]</p>	<p>Twenty-five cases No specific duration of follow up</p>	<p>Not given</p>	<p>The medicines found to be useful were identified.</p>	<p>Calcarea carbonica, Graphites, Natrum muriaticum, Pulsatilla, Arsenicum album, Thuja occidentalis, Sepia, Nitricum acidum, Sulphur and Thyroidinum, as well as the nosodes Tuberculinum, Syphilinum and Carcinosin</p>

Table S2 Symptoms of Medicines used.

Medicine	Lesion Site	Mental General	Physical General	Particular
Kali arsenicum	Arm (n = 2)		Appetite Normal (n = 2)	Chloasma on face (n = 1)
	Back (n = 3)		Can't Wait for Food (n = 1)	Eruption with occasional itching (n = 1)
	Chest (n = 1)		Chilly patient (n = 4)	Erythematous scalp (n = 1)
	Ear (n = 3)		Desire for Salty food (n = 1)	Flatulence with heaviness of abdomen (n = 2)
	Elbow (n = 1)		Desire for Sweet (n = 4)	Flatulence with heaviness of abdomen < after eating, (n = 1)
	Foot (n = 2)	Angers easily (n = 2)	Disturbed Sleep (n = 1)	Flatulence with heaviness of abdomen around 4 p.m. (n = 1)
	Forearm (n = 1)	Anthropophobia (n = 1)	Hot patient (n = 3)	Flatulence aggravated in empty stomach (n = 1)
	Hand (n = 3)	Anxiety (n = 2)	Intolerance to Tea (n = 1)	Hypertension (n = 1)
	Head (n = 1)	Consolation aggravates (n = 3)	Stool Clear (n = 4)	Itching (n = 7)
	Heel (n = 1)	Consolation ameliorates (n = 1)	Stool with Flatulence (n = 1)	Itching aggravated by warm weather (n = 1)
	Inside ear (n = 1)	Desire Company (n = 3)	Sweat Less (n = 1)	Itching aggravated when eruption dried out, warmth (n = 1)
	Knee joint (n = 1)	Desire To Be Alone (n = 1)	Sweat Offensive on Soles (n = 1)	Itching causes pain (n = 1)
	Legs (n = 3)	Extrovert (n = 1)	Sweat Present on Summer (n = 1)	Itching of lesion aggravated when undressing (n = 1)
	Nape of neck (n = 1)	Irritability (n = 2)	Sweat Profuse (n = 3)	Itching of lesion aggravated when touch (n = 1)
	Right buttock (n = 1)	Low IQ (n = 1)	Sweat Profuse on Head (n = 2)	Itching of lesion aggravated at winter (n = 2)
	Sacral (n = 1)	Nervous (n = 1)	Sweat Profuse on upper part of body (n = 1)	Itching undressing (n = 1)
	Scalp (n = 5)	Reserved (n = 1)	Sweat Profuse Whole Body (n = 1)	
Thigh (n = 1)	Restlessness (n = 3)	Tendency to catch cold (n = 6)		
Whole body except abdomen (n = 1)	Sad (n = 1)	Thirst Decreased (n = 2)		
		Thirst frequent takes little (n = 1)		
		Thirst Increased (n = 1)		
		Thirst Profuse-small quantity often (n = 1)		

				<p>Itching with papular eruption (n = 1) Itching with scaly eruption (n = 5) Itching with scaly eruption aggravated at winter (n = 1) Itching with scaly eruption on knee joint (n = 1) Tendency to malignancy (n = 1)</p>
Nitric acid	<p>Back (n = 1) Both hands (n = 1) Both knees (n = 1) Chest (n = 1) Dorsum of both hands (n = 1) Dorsum of Feet (n = 1) Legs (n = 1) Scalp (n = 2)</p>	<p>Angers easily (n = 1) Consolation aggravation (n = 1) Desire company (n = 2) Desires to be alone (n = 1) Desires travelling (n = 1) Irritable on contradiction (n = 1) Mild temperament (n = 1) Sensitive (n = 1) Sympathetic (n = 1) Vindictive (n = 1) Weak memory (n = 1)</p>	<p>Ambithermal (n = 1) Appetite normal (n = 1) Aversion to fried food (n = 1) Clear tongue (n = 1) Desire salty things (n = 1) Desire meat (n = 2) Desire sweet (n = 1) Desire spicy (n = 2) Desire Sour food (n = 1) Perspiration profuse, offensive (n = 1) Stool once per day (n = 1) Chilly patient (n = 1) Thirsty (n = 2) Hot patient (n = 1) Urine offensive (n = 1) Appetite diminished (n = 2) Appetite Normal (n = 3) Aversion ghee (n = 1) Aversion Sweet (n = 1)</p>	<p>Itching eruption (n = 2) Itching eruption of both hands (n = 1) Itching eruption of knees and both dorsum of feet (n = 1) Itching with scaly eruption (n = 1) Itching (n = 3) Itching aggravated at night (n = 1) Itching redness marked (n = 1) Itching induration marked (n = 1)</p>
Pulsatilla	<p>Abdomen (n = 1) Back (n = 2) Behind ears (n = 1) Both ears (n = 1)</p>	<p>Angers easily (n = 1) Anxiety (n = 3) Anxiety about health (n = 2) Anxiety family (n = 1)</p>		<p>Blackish eruption (n = 1) Borborygmus in abdomen (n = 1) Burning and severe itching (n = 1) Cracks on skin (n = 1)</p>

Below breast (n = 1)	Anxious (n = 1)	Aversion to bottle guard (n = 1)	Distended abdomen (n = 1)
Feet (n = 1)	Brooding over disease (n = 1)	Aversion to brinjal (n = 1)	Eruption aggravated at winter (n = 1)
Both foot on plantar surface (n = 1)	Consolation ameliorates (n = 7)	Aversion to egg (n = 1)	Flatulence aggravated at daytime (n = 1)
Right foot (n = 1)	Co-operative (n = 1)	Aversion to sour (n = 1)	Flatulence ameliorates by eating (n = 1)
Hands (n = 5)	Crying easily (n = 1)	Burning urine (n = 1)	Flatulence with bitter mouth (n = 1)
Medial aspect of right hand (n = 1)	Desire company (n = 5)	Can tolerated hunger (n = 1)	Flatulence with headache (n = 1)
Trunk (n = 1)	Desire to be alone (n = 3)	Cannot tolerate hunger (n = 1)	Giddiness aggravated at morning (n = 1)
Elbows (n = 1)	Does not like if work is delayed (n = 1)	Desire for bitter (n = 1)	Heart burn aggravated by fatty food (n = 1)
Finger (n = 2)	Emotional (n = 1)	Desire for chicken (n = 1)	Induced vomiting in morning (n = 1)
Finger of Right Hand (n = 3)	Extroverted (n = 2)	Desire for cold food (n = 1)	Itching (n = 2)
Left index finger (n = 1)	Fastidious (n = 1)	Desire for drinks (n = 2)	Itching aggravated at morning (n = 1)
Different parts of the body (n = 1)	Fear (n = 5)	Desire for fish (n = 4)	Itching aggravated by heat (n = 2)
Head (n = 3)	Fear of cockroach (n = 1)	Desire for mutton (n = 1)	Itching aggravated (n = 1)
Lateral aspect of ankle joint (n = 1)	Fear of darkness (n = 1)	Desire for oily food (n = 2)	Itching aggravated after perspiration (n = 1)
Leg (n = 3)	Fear of dog (n = 1)	Desire for pungent food (n = 1)	Itching aggravated at night (n = 1)
Neck (n = 2)	Fear of height (n = 1)	Desire for salted food (n = 2)	Itching aggravated by hot weather (n = 1)
Scalp (n = 5)	Fear of lizards (n = 1)	Desire for sour food (n = 4)	Itching aggravated by summer (n = 1)
Whole body (n = 3)	Forgetful (n = 2)	Desire for sweet (n = 3)	
	Forsaken feeling (n = 2)	Desire for warm food (n = 4)	
	Holds no grudges (n = 1)	Disturbed sleep (n = 2)	
	Interested in theatre and painting (n = 1)	Disturbed sleep due to itching (n = 1)	
	Irritable (n = 2)	Dryness in throat (n = 1)	
	Irritable if things go against his wishes (n = 1)	Excessive thirst (n = 1)	
	Irritable when questioning (n = 1)	Frequent urination (n = 1)	
		Hot patient (n = 6)	

Irritability due to disease (n = 1)	Imprint of teeth on tongue (n = 1)	Itching aggravated in sun exposure (n = 1)
Living separately from wife (n = 1)	Intolerance to oily fatty food causes flatulence (n = 1)	Itching ameliorated by open air (n = 1)
Mild (n = 1)	Intolerance to oily fatty food causes stomachache (n = 1)	Itching and scaling aggravated by washing (n = 1)
Mix easily with people, but selective in making friends (n = 1)	Menstruation Regular (n = 1)	Itching and scaling ameliorates by warm application (n = 1)
Punctual about work (n = 1)	Mucous discharge at the end of stool (n = 1)	Itching followed by scaling and bleeding aggravated in rainy weather (n = 1)
Religious (n = 1)	No tendency to catch cold (n = 3)	Itching followed by scaling and bleeding aggravated in winter (n = 1)
Reserved, likes to remain in own world (n = 1)	Perspiration profuse on hand (n = 1)	Itching followed by scaling and bleeding on whole head and both ears (n = 1)
Sensitive (n = 2)	Sleep Sound refreshing (n = 1)	Itching meliorated in winter (n = 1)
Submissive (n = 1)	Sleepless (n = 2)	Itching over scalp (n = 3)
Suicidal disposition (n = 1)	Constipated stool (n = 2)	Itching over scalp aggravate by heat (n = 1)
Suppressed anger (n = 1)	Constipated stool with flatus (n = 1)	Itching over scalp aggravate by sunlight (n = 1)
Suppressed grief (n = 1)	Stool Morning twice then satisfied (n = 1)	Itching over scalp on different parts of body (n = 1)
Talkative (n = 1)	Stool not Satisfactory (n = 1)	Itching scaly eruption all over the body (n = 1)
Timidity (n = 1)	Stools alternately soft and hard (n = 1)	
Washing hands continuously (n = 1)	Sweat Both arms (n = 1)	
Weepy (n = 5)	Sweat Less (n = 1)	
Weeping ameliorates (n = 1)	Sweat Moderate on face (n = 1)	
Weeping when answering the question (n = 1)	Sweat on back (n = 1)	
	Sweat on head (n = 1)	
	Thirst for large quantity of cold water (n = 1)	

Thirst good (n = 3)

Thirst Less (n = 2)

Coated tongue (n = 1)

Tongue Cracked (n = 2)

Tongue Moist (n = 1)

Urine Normal (n = 2)

**Weakness aggravated in morning
after going to stool (n = 1)**

**Itching scaly eruption ameliorates
by draft of air (n = 1)**

**Itching scaly eruption ameliorates
in winter (n = 1)**

Itching with burning (n = 1)

Itching with eruptions (n = 1)

Itching with exfoliation (n = 2)

Leucorrhoea bland (n = 1)

Leucorrhoea offensive (n = 1)

Leucorrhoea thick (n = 1)

**Neck pain aggravated by exertion
(n = 1)**

**Pain in right caecum aggravated
after eating (n = 1)**

Plaque (n = 1)

Psoriasis (n = 1)

**Scaling aggravated by hot weather
(n = 1)**

**Scaling aggravated by summer (n
= 1)**

**Scaling ameliorated by open air (n
= 1)**

**Scaling ameliorated in winter (n =
1)**

Scaling decreased (n = 1)

**Scaling on scalp and on different
parts of body (n = 1)**

Scaly eruption (n = 1)

				<p>Scaly eruption with black discoloration aggravated in winter (n = 1)</p> <p>Scaly eruption with black discoloration on lateral aspect of ankle joint (n = 1)</p> <p>Scaly eruption with black discoloration on left elbow joint (n = 1)</p> <p>Scaly eruption with black discoloration on left index finger (n = 1)</p> <p>Scaly eruption with black discoloration on right foot (n = 1)</p> <p>Vomiting of greenish color (n = 1)</p> <p>Burning aggravated after scratching (n = 1)</p> <p>Cracks (n = 1)</p> <p>Cracks aggravated in winter (n = 1)</p> <p>Eruptions blackish (n = 2)</p> <p>Eruptions dry (n = 1)</p> <p>Eruptions hard (n = 4)</p> <p>Eruptions skin itching (n = 3)</p> <p>Hypothyroidism (n = 1)</p> <p>Itching aggravated by cold (n = 1)</p> <p>Itching aggravated by dry weather (n = 1)</p> <p>Itching aggravated by morning (n = 1)</p>
Sepia	Abdomen (n = 1)	Ailments from cares (n = 1)	Aversion to food (n = 1)	
	Ankle (n = 2)	Ailments from worries (n = 1)	Burning on palms (n = 1)	
	Back (n = 2)	Anxiety about children (n = 2)	Can't tolerate sun heat	
	Both soles (n = 1)	Anxiety about family (n = 2)	Constipated,	
	Chest (n = 1)	Anxiety about future (n = 1)	Desire for bitter,	
	Dorsum of both elbows (n = 1)	Anxiety about health (n = 3)	Desire for chicken,	
	Feet (n = 1)	Anxiety about job (n = 1)	Desire for dal,	
	Folds of breast (n = 1)	Anxiety about money matters (n = 1)	Desire for Egg,	
	Hands (n = 2)	Brooding (n = 1)	Desire for fish (n = 3)	
	Head (n = 1)	Cannot bear contradiction (n = 2)	Desire for meat,	
	Inguinal region (n = 1)	Communicative (n = 1)	Desire for mutton,	
		Consolation Ameliorates (n = 1)	Desire for pickles (n = 1)	
			Desire for potato (n = 1)	

	= 1)	Depressed with despair (n = 1)	Desire for salt and spicy (n = 1)	= 1)
	Knees (n = 1)	Desire for company (n = 4)	Desire for spicy (n = 1)	Itching aggravated in evening (n = 1)
	Left hand fingers (n = 1)	Desire to be alone (n = 1)	Desire for spicy food (n = 1)	Itching aggravated in leisure time (n = 1)
	Leg (n = 3)	Desires nothing (n = 1)	Desire for sweet (n = 1)	Itching aggravated in summer (n = 2)
	Margin of hair (n = 1)	Dreams on children (n = 1)	Desire for warm food (n = 1)	Itching aggravated in winter (n = 5)
	Scalp (n = 3)	Easily angry (n = 1)	Fish disagrees, causes itching (n = 1)	Itching aggravated on bed (n = 1)
	Shin bone (n = 1)	Emotional (n = 1)	Hot patient (n = 1)	Itching not relieved by scratching (n = 1)
	Whole body (n = 1)	Fear of snake (n = 1)	Incontinence of Urine (n = 1)	Psoriasis (n = 4)
		Inquisitive (n = 1)	Intolerance to cold (n = 1)	Scaly desquamating eruption in chest (n = 1)
		Introvert (n = 1)	No pain and bleeding during evacuation (n = 1)	Scaly desquamating eruption in scalp (n = 1)
		Irritable (n = 2)	Sleeplessness (n = 1)	Scaly eruption (n = 3)
		Sadness from wanting children (n = 1)	Stains by sweat (n = 1)	Skin eruption scaly (n = 2)
		Sensitive (n = 1)	Sweat more in face,	
		Timidity (n = 2)	Sweating after eating (n = 1)	
		Weeping (n = 1)	Sweating profuse (n = 1)	
		Weeping amelioration (n = 1)	Thirst diminished (n = 1)	
		Weeping while alone (n = 1)	Thirst for large quantity (n = 1)	
			Thirstlessness (n = 1)	
			<i>Modalities:</i>	
			Aggravation by Sour (n = 1)	
			Aggravation in Summer (n = 1)	
			Amelioration by Sleep (n = 1)	
			Aversion to acid foods (n = 1)	Burning after scratching (n = 1)
			Aversion to fish (n = 1)	Cracks of skin (n = 1)
			Aversion to hot food (n = 1)	Dandruff aggravated in winter (n = 1)
Graphites	Ankle joint (n = 1)	Absent minded (n = 1)		
	Leg (n = 2)	Company averse (n = 1)		
	On the lateral	Desire company (n = 1)		

surface of	Easily angered (n = 1)	Aversion to meat (n = 1)	1)
middle1/3rd and	Fear of death (n = 1)	Aversion to salty food (n = 1)	Dry skin (n = 1)
lower 1/3rd part	Frightened easily from little noise	Aversion to sour (n = 1)	Itching aggravated after
of right lower leg	(n = 1)	Aversion to sweets (n = 1)	perspiration (n = 1)
(n = 1)	Aversion to work (n = 1)	Burning on vertex (n = 1)	Itching aggravated in summer (n =
Scalp (n = 1)	Indecisive (n = 1)	Chilly patient (n = 2)	2)
Whole body (n =	Irritable (n = 1)	Constipation (n = 1)	Itching aggravated in Winter (n =
1)	Short tempered (n = 1)	Constipation during menses (n = 1)	2)
	Yielding (n = 1)	Copious white discharge before	Itching tends to bleeding (n = 1)
		and after menses (n = 1)	Pain in abdomen on fasting (n = 1)
		Delayed wound healing (n = 1)	Scaling (n = 1)
		Desire for sweets (n = 2)	Scaling eruption with plaque (n =
		Desire to fish (n = 1)	1)
		Desire to mutton (n = 1)	
		Desire to sour (n = 2)	
		Dream amorous (n = 1)	
		Extreme thirst (n = 1)	
		General aggravation in winter (n =	
		1)	
		Hot patient (n = 1)	
		Irregular menses (n = 1)	
		Late menses (n = 1)	
		Nausea from eating sweets (n = 1)	
		Profuse perspiration, staining the	
		clothes yellow (n = 1)	
		Scanty menses (n = 1)	
		Sleeplessness (n = 1)	
		Stool incomplete (n = 1)	

			Stool insufficient (n = 2)	
			Stool unsatisfactory (n = 1)	
			Sudden urging to urinate (n = 1)	
			Sweat profuse (n = 2)	
			Sweat sour (n = 1)	
			Urine burning (n = 1)	
			Urine frequent (n = 1)	
			Aversion to chilly (n = 1)	Itching after wetting (n = 1)
			Aversion to spicy food (n = 1)	Itching aggravated after perspiration (n = 1)
			Burning aggravated after scratching (n = 1)	Itching aggravated at night (n = 1)
			Desire covering (n = 1)	Itching aggravated in summer (n = 1)
			Desire for meat (n = 1)	Itching worse in evening (n = 1)
			Desire for milk (n = 1)	Itching worse sour things (n = 1)
			Desire for open air (n = 1)	Itching when undressing (n = 1)
			Desire for salt (n = 1)	Scaly (n = 1)
			Desire for sour (n = 1)	Scaly eruption ameliorates by applying oil (n = 1)
			Desire for sweet (n = 1)	Scaly eruption ameliorates by summer (n = 1)
			Desire for vegetables (n = 1)	Scaly eruption and itching ameliorates by scratching (n = 1)
			Hot patient (n = 1)	Scaly formation and thickness aggravated in winter (n = 1)
			Intolerance sour (n = 1)	Scaly formation and thickness is marked (n = 1)
			Itching (n = 1)	Discharge after itching (n = 2)
			Profuse sweat, staining linen white (n = 1)	
			Stool hard (n = 1)	
			Tongue coated yellow white (n = 2)	
			Tongue moist (n = 1)	
			Appetite decreased (n = 1)	
Mercurius solubilis	Abdomen (n = 1)	Desire for company (n = 1)		
	Back (n = 1)	Honor wounded affection of (n = 1)		
	Chest (n = 1)	Industrious (n = 1)		
	Face (n = 1)	Social person (n = 1)		
	Hand (n = 1)			
	Head (n = 2)			
	Hip (n = 1)			
	Lower feet (n = 1)			
	Nails (n = 1)			
	Thigh (n = 1)			
	Toes (n = 1)			
	Whole body (n = 1)			
Lycopodium	Abdomen (n = 1)	Adamant (n = 1)		

Back (n = 3)	Affectionate (n = 1)	Aversion to bitter taste (n = 1)	Dry itching scaly eruptions (n = 2)
Behind ears (n = 1)	Anger and irritably leads to shouting (n = 2)	Aversion to bread (n = 1)	Eruption on skin (n = 1)
Both elbow joint (n = 1)	Anxiety about disease (n = 1)	Aversion to cabbage (n = 1)	Erythematous scaly plaque lesion on back (n = 1)
Chest (n = 1)	Anxiety about Family (n = 1)	Aversion to cucumber (n = 1)	Erythematous scaly plaque lesion on elbows (n = 1)
Dorsum of foot (n = 1)	Anxiety about future (n = 2)	Aversion to lauki (n = 1)	Erythematous scaly plaque lesion on knees (n = 1)
Earlobes (n = 2)	Anxiety about health (n = 2)	Aversion to meet (n = 1)	Erythematous scaly plaque lesion on trunk (n = 1)
Gluteal region (n = 1)	Anxiety money matters (n = 2)	Aversion to sour (n = 1)	Irritation aggravated by stress (n = 1)
Hands (n = 8)	Attempts to escape (n = 1)	Aversion to spicy food (n = 1)	Irritation aggravated by sweating (n = 1)
Head (n = 1)	Aversion to company (n = 1)	Aversion to Sweet (n = 2)	Itching aggravated by cold (n = 1)
Knees (n = 1)	Cannot take any decision (n = 1)	Aversion to vegetables (n = 1)	Itching aggravated by detergent (n = 1)
Left ankle (n = 1)	Cheerful (n = 2)	Burning micturition (n = 1)	Itching aggravated by full moon (n = 1)
Legs (n = 7)	Consolation aggravation (n = 1)	Chilly patient (n = 2)	Itching aggravated by heat (n = 3)
Neck (n = 1)	Consolation ameliorates (n = 2)	Constipation (n = 1)	Itching aggravated by new moon (n = 1)
Palms (n = 2)	Desire company (n = 9)	Desire fanning (n = 2)	Itching aggravated by spicy food (n = 1)
Scalp (n = 7)	Desire to be alone (n = 2)	Desire for bitter (n = 1)	Itching aggravated by stress (n = 1)
Shin bone (n = 1)	Desire work (n = 2)	Desire for chicken (n = 4)	Itching aggravated by sweat (n = 1)
Sole (n = 3)	Destroying things (n = 1)	Desire for cold drinks (n = 2)	Itching aggravated by water using
Trunk (n = 3)	Disciplined (n = 1)	Desire for egg (n = 3)	
Whole body (n = 2)	Easily agreed (n = 5)	Desire for fish (n = 5)	
	Emotional (n = 1)	Desire for fried food (n = 3)	
	Fastidious (n = 1)	Desire for green vegetable (n = 1)	
	Fear of stranger (n = 1)	Desire for hot drink (n = 1)	
	Feels better after laughing (n = 1)	Desire for hot food (n = 3)	
	Forgetful (n = 1)	Desire for junk food (n = 1)	
	Headstrong (n = 3)	Desire for mutton (n = 1)	
	Indignation (n = 1)	Desire for oily (n = 1)	
	Inferiority complex (n = 1)	Desire for open air (n = 1)	
		Desire for pickle (n = 1)	

Intelligent (n = 1)

Introvert (n = 3)

Involuntary laughing (n = 1)

Irritable (n = 2)

Memory normal (n = 1)

Mild (n = 3)

Mistrustful (n = 1)

Religious (n = 1)

Responsible (n = 1)

Sensitive (n = 1)

Shy (n = 1)

Timid (n = 1)

Desire for pungent (n = 1)

Desire for salt (n = 4)

Desire for sour (n = 1)

Desire for spicy (n = 9)

Desire for sweets (n = 6)

Desire for warm drink (n = 2)

Desire for warm food (n = 4)

Dreams of death of relatives (n = 1)

Dreams of playing cricket (n = 1)

Hard stool (n = 2)

Hot patient (n = 8)

Intolerance to egg (n = 1)

Intolerance to meat (n = 1)

Intolerance to milk (n = 1)

Sleep disturbed (n = 2)

Sleep reduced (n = 1)

Sleep undisturbed (n = 1)

Stool once in a day (n = 1)

Stool Unsatisfactory (n = 2)

Sweat increased (n = 2)

Sweat on back (n = 1)

Sweat on face (n = 1)

Sweat on head (n = 4)

Sweat profuse in winter (n = 1)

Sweat profuse on both palms and soles (n = 1)

Sweat profuse on whole body (n =

n = 1)

Itching aggravated by winter (n = 1)

Itching ameliorated by scratching (n = 2)

Itching increased on both hands (n = 1)

Itching increased on legs (n = 1)

Itching on erythematous scaly plaque lesion (n = 1)

Itching on skin (n = 1)

Itching over both soles (n = 1)

Itching over both soles aggravated by egg (n = 1)

Itching over both soles aggravated by mutton (n = 1)

Itching over both soles aggravated by night (n = 1)

Itching over both soles aggravated by perspiration (n = 1)

Itching over both soles aggravated by undressing (n = 1)

Much heartburn aggravated by afternoon (n = 1)

Pain in the right side of body including head (n = 1)

Psoriasis (n = 2)

Psoriatic eruption at back (n = 1)

Arsenicum album

Abdomen (n = 1) Afraid of darkness (n = 1)
Back (n = 3) Anger contradiction (n = 1)
Behind ears (n = 1) Anger easily (n = 4)
Both soles (n = 1) Anticipation (n = 2)
Chest (n = 2) **Anxiety about children (n = 1)**
Elbow (n = 1) Anxiety about health (n = 2)
Face (n = 1) Anxiety about trifles (n = 1)
Feet (n = 1) **Anxiety over money matters (n = 1)**
Forearm (n = 1)
Forearms (n = 1) **Consolation ameliorates (n = 2)**
Genital (n = 1) **Desire quite and calm (n = 1)**
Hand (n = 8) Desires company (n = 3)
Head (n = 1) **Dictatorial (n = 1)**
Knee (n = 2) **Extrovert (n = 1)**
Left feet (n = 1) Fear of disease (n = 1)

1)
Sweat reduced (n = 1)
 Tendency to catches cold (n = 1)
Thirst 3-4 liters per day (n = 1)
Thirst profuse (n = 1)
 Thirstlessness (n = 2)
Tongue furrowed in middle (n = 2)
 Tongue white coated (n = 1)
 Urine frequency increased (n = 1)

Modalities:

Aggravation by chicken (n = 1)
 Aggravation in warm (n = 1)
Ambithermal (n = 1)
Aversion to Cauliflower (n = 1)
Aversion to fish (n = 1)
 Aversion to meat (n = 1)
Aversion to milk (n = 1)
 Aversion to oily food (n = 1)
 Bloody urination (n = 2)
 Burning urination (n = 3)
 Chilly patient (n = 1)
 Constipation (n = 2)
Desire for cold food (n = 1)
Desire for eggs (n = 2)
Desire for fish (n = 3)
 Desire for meat (n = 4)
 Desire for salty food (n = 2)

Psoriatic eruption at both hands (n = 1)
Psoriatic eruption at both legs (n = 1)
Psoriatic eruption at nape of neck (n = 1)
 Scaling aggravated by heat (n = 1)
Skin eruption blackish (n = 1)
Sour eructation aggravated by afternoon (n = 1)

Bleeding after scratching (n = 1)
Boil aggravated by sun (n = 1)
 Crawling sensation (n = 1)
 Eruption boil (n = 1)
Erythematous papular scaly lesion on hands (n = 1)
Erythematous papular scaly lesion on legs (n = 1)
 Erythematous papular scaly lesion on Scalp (n = 2)
Erythematous papular scaly lesion on trunk (n = 1)
 Hard scaly eruption (n = 2)
Hyperesthesia (n = 1)
 Itching (n = 3)

Leg (n = 8)	Fear of water (n = 1)	Desire for sour (n = 2)	Itching aggravated after bathing (n = 1)
Neck (n = 1)	Grief (n = 1)	Desire for sweet (n = 4)	Itching aggravated after bathing (n = 1)
Popliteal fossa (n = 1)	Headstrong (n = 1)	Desire for vegetables (n = 2)	Itching aggravated by after sweat (n = 1)
Scalp (n = 5)	Irritable (n = 3)	Desire for warm drinks (n = 1)	Itching aggravated in winter (n = 1)
Trunk (n = 2)	Less talkative (n = 1)	Desire uncovering (n = 1)	Itching ameliorated by scratching (n = 1)
	Mild company (n = 1)	Desires for fatty food (n = 1)	Itching ameliorated by warm application (n = 1)
	Reprimanded (n = 1)	Desires for milk (n = 1)	Itching ameliorated in summer (n = 1)
	Restlessness (n = 2)	Desires for oily food (n = 1)	Itching with scaly eruption (n = 2)
	Sad (n = 1)	Desires pungent food (n = 1)	Itching with scaly eruption aggravated by brinjal (n = 1)
	Sensitive (n = 1)	Distension of abdomen (n = 1)	Itching with scaly eruption aggravated by eating fish (n = 1)
	Silent (n = 1)	Disturbed sleep (n = 1)	Plague type (n = 1)
	Talkative (n = 1)	Frequent urination (n = 1)	Psoriasis (n = 3)
	Want the things in proper place (n = 1)	Hot patient (n = 4)	Scaling (n = 2)
	Wants to be neat and clean (n = 1)	Insufficient Stool (n = 1)	Scaly eruption behind the ears (n = 1)
	Weeping easily (n = 2)	Intolerance to prawn (n = 1)	Scaly eruption in back (n = 1)
		Irregular bowel (n = 2)	Scaly eruption on elbow (n = 1)
		Stool Normal (n = 2)	
		Unsatisfactory Stool (n = 1)	
		Nausea while eating (n = 1)	
		Thirst for cold water at short interval (n = 1)	
		Thirst often for small quantity (n = 1)	
		Thirst profuse (n = 3)	
		Tongue clear (n = 1)	
		Sleeplessness (n = 1)	
		Sweat more in palms and soles in winter (n = 1)	

			Sweat more on face (n = 1)	
			Sweat on chest (n = 1)	
			Sweat on lower limb (n = 1)	
			Sweat over hand (n = 1)	
			Sweat profuse (n = 2)	
			Sweat scanty (n = 3)	
			Itching ameliorated by applying coconut oil (n = 1)	
			 <i>Modalities:</i>	
			Aggravated after scratching (n = 1)	
			Aggravated by drying eruption (n = 1)	
			Aggravated in winter (n = 1)	
			Aggravated when undressing of cloth (n = 1)	
			Amelioration while itching (n = 1)	
			Appetite diminished (n = 3)	Aching pain in knee (n = 1)
			Appetite increased (n = 2)	Amenorrhoea (n = 1)
			Appetite Normal (n = 1)	Backache aggravated by sewing machine (n = 1)
			Aversion to bitter (n = 1)	Backache from lumbosacral region to nape of neck (n = 1)
			Aversion to black grapes (n = 1)	Burning after itching (n = 3)
			Aversion to bread (n = 2)	Burning on both soles and palms (n = 1)
			Aversion to chilly (n = 1)	Burning sensations (n = 1)
			Aversion to egg (n = 1)	
			Aversion to meat (n = 3)	
			Aversion to non-veg food (n = 1)	
	Abdomen (n = 4)	Affection of Honor wounded (n = 1)		
	Arm (n = 2)	Affectionate (n = 1)		
	Axilla on both sides (n = 1)	Ailments after financial stress (n = 1)		
	Back (n = 6)	Ailments after loss of affection from husband (n = 2)		
	Back of neck (n = 1)	Ailments from cares and worries (n = 1)		
	Behind ears (n = 3)	Anger easily (n = 11)		
	Elbow (n = 2)			
	Finger between			
Natrum muriaticum				

toes (n = 1)	Anxiety about health (n = 1)	Aversion to salty items (n = 1)	Cracking on both soles and palms (n = 1)
Fingers of both hands (n = 1)	Aversion to company (n = 2)	Aversion to sour (n = 2)	Diabetes Mellitus (n = 1)
Foot (n = 2)	Bad effects after suppressed anger (n = 1)	Aversion to sweet (n = 3)	Discharges when scratching (n = 1)
Forearm (n = 1)	Brooding (n = 3)	Aversion to vegetables (n = 2)	Dry Eruption (n = 1)
Groin (n = 1)	Calm and composed (n = 2)	Cannot tolerate hunger (n = 2)	Erythema (n = 1)
Hand (n = 6)	Cannot bear contradiction (n = 3)	Chilly patient (n = 3)	Excessive flatulence (n = 1)
Head (n = 2)	Confusion in mind (n = 2)	Clear tongue (n = 1)	Exfoliation of skin or cut marks on eruption and bleeds (n = 1)
Heels (n = 1)	Confusion to make decision (n = 1)	Desire fanning (n = 1)	Headache aggravated by anger (n = 1)
Knee (n = 3)	Consolation aggravation (n = 4)	Desire for apple (n = 1)	Headache aggravated by menses (n = 1)
Legs (n = 10)	Consolation amelioration (n = 3)	Desire for bitter (n = 3)	Headache aggravated by sunlight (n = 1)
Nails (n = 1)	Depressed about disease (n = 1)	Desire for chilly (n = 1)	Heart burn (n = 2)
Palm (n = 3)	Desire company (n = 4)	Desire for cold drinks (n = 4)	Heart burn aggravated by after heavy meal (n = 1)
Plantar surface of feet (n = 2)	Desire to be alone (n = 5)	Desire for cold food (n = 2)	Heart burn and sour eructation ameliorated when passing stool (n = 1)
Right ankle joint (n = 1)	Diligent (n = 1)	Desire for curd (n = 1)	Heaviness of eye (n = 1)
Right breast (n = 1)	Emotional (n = 4)	Desire for egg (n = 3)	Induration (n = 1)
Scalp (n = 9)	Everything keeps inside (n = 2)	Desire for fish (n = 9)	Itching aggravated after 6pm (n = 1)
Thighs (n = 1)	Fear of being infected (n = 1)	Desire for fried food (n = 1)	Itching aggravated after bathing (n = 1)
Trunk (n = 2)	Grief long standing (n = 1)	Desire for ghee (n = 1)	Itching aggravated at day time (n = 1)
Whole body (n = 1)	Helping tendency (n = 2)	Desire for hot food (n = 3)	
Whole body except face (n = 1)	Helplessness feeling (n = 1)	Desire for meat (n = 2)	
	Indignation (n = 1)	Desire for milk (n = 2)	
	Introvert (n = 4)	Desire for pungent food (n = 1)	
	Irritability (n = 4)	Desire for salt (n = 12)	
	Loss of expectation (n = 1)	Desire for sour (n = 4)	
	Meditation (n = 1)	Desire for spices (n = 2)	
	Memory week (n = 1)	Desire for spinach (n = 1)	
	Mild (n = 1)	Desire for sweet (n = 4)	
		Desire for Warm drink (n = 1)	

Not asking help from others (n = 1)

Religious (n = 1)

Responsibility of taking care of mother and elder sister (n = 1)

Sentimental mood (n = 1)

Shouts when angry (n = 2)

Sound memory (n = 1)

Stammering (n = 1)

Stubborn (n = 1)

Suicidal disposition (n = 1)

Talkative (n = 1)

Weak memory (n = 1)

Weeping (n = 5)

Worries about money (n = 1)

Desire uncovering (n = 1)

Disagrees pulses and spicy food in summer causes diarrhea (n = 1)

Dream of dark snake (n = 1)

Dreams of ghost (n = 1)

Dreams of robbers (n = 1)

Dreams of snake (n = 1)

Dry tongue with white coating (n = 1)

Hot patient (n = 11)

Hunger aggravated at morning (n = 2)

Intolerance to milk (n = 1)

Intolerance to mutton (n = 1)

Intolerance to oily food (n = 1)

Intolerance to salty food (n = 1)

Intolerance to vegetable (n = 1)

Sleep disturbed (n = 4)

Sleep sound (n = 2)

Sleep *unrefreshing* (n = 1)

Sleeplessness (n = 1)

Stool constipated (n = 2)

Stool hard (n = 3)

Stool Insufficient (n = 4)

Stool offensive **with flatus (n = 1)**

Stool Regular (n = 3)

Stool satisfactory (n = 1)

Stool unsatisfactory (n = 2)

= 1)

Itching aggravated at night (n = 5)

Itching aggravated by damp wet weather (n = 1)

Itching aggravated in summer (n = 5)

Itching aggravated in winter (n = 2)

Itching ameliorated by open air (n = 1)

Itching ameliorated when scratching (n = 2)

Itching and cracking over the foot (n = 2)

Itching and scaly eruption on legs (n = 2)

Itching and scaly eruption on thighs (n = 1)

Itching followed by thin, white, watery discharge ameliorated by cold water application (n = 1)

Itching followed by thin discharge (n = 1)

Itching followed by watery discharge (n = 1)

Itching followed by white discharge (n = 1)

Itching on both soles and palms (n = 1)

Sweat Less (n = 1)	= 1)
Sweat more during eating (n = 1)	Itching on cheek aggravated in sun (n = 1)
Sweat offensive (n = 1)	
Sweat on back (n = 4)	Itching over the skin lesion aggravated at evening (n = 1)
Sweat on face (n = 3)	Itching with scaly eruption (n = 3)
Sweat on head (n = 2)	Itching with thin, white, watery discharge aggravated by warmth (n = 1)
Sweat on neck (n = 1)	
Sweat Profuse (n = 6)	Itching, cracking, burning, tenderness and scaling aggravated by water application (n = 1)
Sweat yellow staining (n = 1)	Itching, cracking, burning, tenderness and scaling aggravated by winter (n = 1)
Tendency to catch cold (n = 2)	Itching, cracking, burning, tenderness and scaling ameliorated by summer (n = 1)
Thirst increased (n = 5)	Painless bleeding piles (n = 1)
Thirst Decreased (n = 4)	Painless bleeding piles aggravated from hard stool (n = 1)
Thirsty (n = 2)	Red Eruption (n = 1)
Tongue clear (n = 1)	Scaling (n = 2)
Tongue imprinted (n = 2)	Scaling on both soles and palms (n = 1)
Tongue moist (n = 2)	
Tongue white coated (n = 2)	Scaly eruption abdomen (n = 1)
Toor dal causes obstructed sensation in oesophagus after eating (n = 1)	Scaly eruption aggravated by exercise (n = 1)
Urine more at day (n = 1)	
Urine Normal (n = 1)	
<i>Modalities:</i>	
Aggravated by covering (n = 1)	
Aggravated in summer (n = 2)	

Phosphorus	Abdomen (n = 1)	Ailments from cares (n = 1)	Appetite good (n = 1) Aversion to curd (n = 1)	Scaly eruption aggravated by scratching (n = 1)
	Around umbilicus	Ailments from grief (n = 1)		Scaly eruption around axilla (n = 1) Scaly eruption behind pinna (n = 1) Scaly eruption elbow joint (n = 1) Scaly eruption in the back near scapular region (n = 1) Scaly eruption on knee joints (n = 1) Scaly eruption on legs (n = 1) Scaly eruption on scalp (n = 1) Scaly itchy eruption on different parts of body with itching and burning sensation ameliorated when exposed to cold (n = 2) Scaly itchy eruption on different parts of body with itching followed by burning sensation (n = 1) Sensation of Burning after itching (n = 1) Sour eructation (n = 1) Tenderness on both soles and palms (n = 1) Brownish discoloration in the forehead (n = 1)

(n = 1)	Ailments from worries (n = 1)	Aversion to fat (n = 1)	Darkened eruption (n = 1)
Back (n = 1)	Anger easily (n = 5)	Aversion to fish (n = 2)	Desquamation (n = 1)
Behind ears (n = 1)	Anxiety about education (n = 1)	Aversion to meat (n = 1)	Feels better from application of water on lesions (n = 1)
Chest (n = 1)	Anxiety about family (n = 1)	Aversion to onion (n = 1)	Formication of skin (n = 1)
Face (n = 1)	Anxiety about health (n = 2)	Aversion to sour (n = 1)	Itching (n = 3)
Feet (n = 3)	Anxiety about marriage (n = 1)	Aversion to warm food (n = 1)	Itching aggravated at night (n = 1)
Gluteal region (n = 1)	Anxiety at trifles (n = 1)	Chilly patient (n = 6)	Itching aggravated by non-veg food (n = 1)
Hands (n = 4)	Aversion to company (n = 1)	Constipation (n = 1)	Itching aggravated by perspiration (n = 1)
Head (n = 2)	Brooding (n = 1)	Desire for alcohol (n = 1)	Itching aggravated by travelling, (n = 1)
Legs (n = 6)	Calm (n = 1)	Desire for bitter taste (n = 1)	Itching aggravated in rainy (n = 1)
Occipital region (n = 1)	Cannot bear contradiction (n = 3)	Desire for chicken (n = 3)	Itching aggravated in summer season (n = 1)
Palm (n = 1)	Confused (n = 1)	Desire for chilly (n = 1)	Itching aggravated in sunlight (n = 2)
Right finger in joints on dorsal surface (n = 1)	Consolation (n = 1)	Desire for chocolate (n = 1)	Itching aggravated in winter (n = 6)
Right knee (n = 1)	Depressed (n = 1)	Desire for cold drink (n = 4)	Itching ameliorated in summer (n = 3)
Right thigh (n = 1)	Desire for company (n = 7)	Desire for cold food (n = 3)	Itching followed by burning and discharge (n = 1)
Scalp (n = 7)	Desire to be alone (n = 2)	Desire for curd (n = 1)	Itching, burning and scaling ameliorated by scratching (n = 1)
Sole (n = 1)	Do not go out (n = 1)	Desire for egg (n = 1)	Itching, burning and scaling ameliorated in warm water (n = 1)
Trunk (n = 3)	Duty bound (n = 1)	Desire for fish (n = 6)	
Whole body (n = 1)	Emotional (n = 1)	Desire for food (n = 1)	
	Extrovert (n = 2)	Desire for meat (n = 2)	
	Fastidious (n = 1)	Desire for milk (n = 2)	
	Fear and anxiety when alone (n = 3)	Desire for oily food (n = 2)	
	Fear of cockroaches (n = 1)	Desire for salt (n = 7)	
	Fear of dog (n = 1)	Desire for sour (n = 2)	
	Fear of ghosts (n = 1)	Desire for spicy food (n = 4)	
	Fear of heights (n = 1)	Desire for sweets (n = 6)	
	Fear of lightning (n = 1)	Desire for vegetable (n = 1)	
		Desire for warm food (n = 3)	

Fear of thunderstorm (n = 2)

Fear of water (n = 1)

Gentle (n = 1)

Grief (n = 1)

Irritable (n = 3)

Lack of concentration (n = 1)

Malicious (n = 1)

Mild (n = 2)

Mix up with others easily (n = 1)

Mix up with people less (n = 1)

Obstinate (n = 1)

Religious (n = 1)

Restless (n = 1)

Sad (n = 1)

Sensitive (n = 3)

Sentimental (n = 1)

Shouts when angry (n = 1)

Smiling (n = 1)

Speedy in activity (n = 1)

Talkative (n = 1)

Tearful (n = 1)

Timid (n = 1)

Weeps easily (n = 2)

Hot patient (n = 3)

Hot perspiration (n = 1)

Incontinence of urine (n = 1)

Intolerance to leafy vegetable (n = 1)

Intolerance to milk (n = 1)

Intolerance to roti (n = 1)

Involuntary urination (n = 1)

Prefers closed room (n = 1)

Prefers open air (n = 1)

Sleep disturbed (n = 2)

Sleeplessness (n = 2)

Stool hard (n = 2)

Stool hard and soft alternately (n = 1)

Stool regular (n = 1)

Stool unsatisfactory (n = 1)

Sweat decreased (n = 1)

Sweat increased on body (n = 1)

Sweat increased on face (n = 1)

Sweat moderate on chest (n = 1)

Sweat moderate on neck (n = 1)

Sweat offensive (n = 1)

Sweat profuse (n = 2)

Sweat scanty (n = 1)

Thirst profuse (n = 2)

Thirstlessness (n = 4)

Tongue clean (n = 1)

Papular eruption (n = 1)

Psoriasis (n = 3)

Psoriatic lesions at abdomen (n = 1)

Psoriatic lesions at back (n = 1)

Psoriatic lesions at both left extremities (n = 1)

Psoriatic lesions at face (n = 1)

Psoriatic lesions at palms and soles (n = 1)

Psoriatic lesions at right hand (n = 1)

Psoriatic lesions at right leg (n = 1)

Scaling aggravated at night (n = 1)

Scaling aggravated by cold (n = 1)

Scaling aggravated by scratching (n = 1)

Scaling aggravated in winter (n = 1)

Scaly eruption (n = 4)

Skin eruption hard (n = 1)

Stammering (n = 1)

			Tongue flabby (n = 1)	
			Tongue moist (n = 1)	
			Tongue white coated thick (n = 1)	
			Urine normal (n = 1)	
			Urine offensive (n = 1)	
			<i>Modalities:</i>	
			Aggravated by night (n = 1)	
			Aggravated by winter (n = 2)	
			Aggravation at winter season (n = 1)	Erythematous scaly lesion right side scalp above right ear with itching (n = 1)
			Aggravation from warm (n = 1)	Fissures in skin (n = 1)
			Appetite good (n = 1)	Flatulence (n = 1)
			Aversion to coffee (n = 1)	Flatulence aggravated during empty stomach (n = 1)
			Aversion to meat (n = 1)	Harderuption on skin (n = 1)
			Aversion to milk (n = 1)	Heart burn (n = 1)
			Aversion to pumpkin (n = 1)	Heart burn aggravated during empty stomach (n = 1)
			Aversion to vegetables (n = 2)	Itching aggravated after perspiration (n = 1)
			Burning during evacuation (n = 1)	Itching aggravated at night (n = 2)
			Chilly patient (n = 2)	Itching aggravated at rainy season (n = 1)
			Constipation (n = 2)	Itching aggravated at winter (n = 6)
			Constipation with bleeding on rectum (n = 2)	
			Desire for chicken (n = 2)	
			Desire for chilly (n = 1)	
			Desire for chocolates (n = 1)	
			Desire for cold drinks (n = 2)	
	Abdomen (n = 3)	Anxiety (n = 1)		
	Arms (n = 2)	Anxious about health (n = 2)		
	Back (n = 5)	Attached easily (n = 1)		
	Behind Ears (n = 1)	Cannot be persuaded to change her decision (n = 1)		
	Behind Hands (n = 1)	Cheerful (n = 2)		
	Buttocks (n = 1)	Consolation aggravation (n = 2)		
	Chest (n = 2)	Consolation amelioration (n = 3)		
Calcarea	Ear (n = 3)	Desire to be alone (n = 3)		
Carbonicum	Elbows (n = 1)	Desires company (n = 6)		
	Extremities (n = 1)	Dullness (n = 1)		
	Face (n = 2)	Easily stressed (n = 1)		
	Feet (n = 1)	Extremely cautious about activities (n = 1)		
	Folds of mammae (n = 1)	Forgetful (n = 3)		
	Forearm (n = 3)	Irritable (n = 2)		
	Hand (n = 4)	Laziness (n = 1)		
	Knees (n = 2)	Mild (n = 2)		

Left leg (n = 1)	Religious (n = 1)	Desire for cold food (n = 1)	Itching aggravated by bathing with a cold water (n = 1)
Left thigh (n = 1)	Reserved (n = 1)	Desire for covering (n = 1)	Itching aggravated on exposure to sun (n = 1)
Leg (n = 6)	Responsible (n = 1)	Desire for drinks (n = 1)	Itching ameliorated at rainy season (n = 1)
Lumbar region (n = 1)	Rigid in decision (n = 1)	Desire for egg (n = 5)	Itching ameliorated by application of cold water (n = 1)
Neck (N = 2)	Rigid in thoughts (n = 1)	Desire for fish (n = 5)	Itching ameliorated by scratching (n = 1)
Palms (n = 2)	Secretive (n = 1)	Desire for meat (n = 2)	Itching ameliorated after perspiration (n = 1)
Plantar surface of both extremities (n = 1)	Sensitive (n = 5)	Desire for pungent food (n = 4)	Itching eruption aggravated at summer (n = 1)
Right Ear (n = 1)	Thoughts flying (n = 1)	Desire for refreshing things (n = 1)	Itching eruption on elbows (n = 1)
Right Foot (n = 1)	Throwing things (n = 1)	Desire for salty food (n = 2)	Itching eruption on knees (n = 1)
Right Hand (n = 1)	Timid (n = 1)	Desire for sour food (n = 3)	Itching eruption on lower limb (n = 1)
Right Leg (n = 1)	Violent (n = 1)	Desire for spicy food (n = 1)	Itching eruption on scalp (n = 1)
Scalp (n = 13)	Weeps easily (n = 2)	Desire for sweet (n = 6)	Oozing white fluid from skin (n = 1)
Soles (n = 2)	Weepy when alone (n = 1)	Desire for warm food (n = 5)	Psoriatic eruption on diffuse parts of body (n = 1)
Thighs (n = 2)	Worried about his illness (n = 1)	Desires for fried food (n = 1)	Psoriatic eruption on joints (n = 1)
Trunk (n = 1)		Disturbed sleep (n = 1)	Psoriatic eruption on skin (n = 3)
		Drinks large quantities of water at short intervals (n = 1)	Skin cracked (n = 1)
		Hot patient (n = 3)	Skin cracked during winter (n = 1)
		Intolerance to milk (n = 1)	Skin cracked with pain (n = 1)
		Irregular stool (n = 1)	
		Perspiration sour smell (n = 1)	
		Profuse perspiration (n = 3)	
		Profuse perspiration on trunk (n = 1)	
		Profuse thirst (n = 1)	
		Urine clear (n = 1)	

Skin dry with itching (n = 2)

Warts around neck (n = 1)

All symptoms in bold are symptoms identified in the participants, but the medicine is not indicated for these symptoms as per the Repertory of the Homoeopathic Materia Medica by Dr JT Kent (Kent JT. Repertory of the Homoeopathic Materia Medica (3rd edition). New Delhi: B. Jain Publishers (P) Ltd. 49th impression, 2010). All location symptoms are marked in bold, since the rubric Skin, psoriasis does not classify any location.